OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY IN MYSORE, BANGALORE.

Dated 1st May 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 24TH APRIL 1965.

No. VS-17/SPH/65-66. The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 5 attacks with nil deaths and nil attacks with nil deaths, respectively.

A total of 88 attacks with 10 deaths from Small-pox was reported from the entire State, *viz.*, from the towns of Bhadravathi (old and new town) Jagalur and Bagalkot and from the taluks of Bijapur, Coondapur, Afzalpur, Jamakhandi and Belgaum and from the City of Mangalore, *as against* 13 attacks with 3 deaths reported during the corresponding week of the previous year.

A total of 377 attacks with 84 deaths from Cholera was reported for the entire State, *viz*, from the taluks of Bangalore South, Tiptur, Bagalkot, Hospet, Maddur, Haliyal, Supa, Malbagal, K. R. Nagar, Malavalli, Mandya, Srirangapatam, Kollegal, Nanjungud, Chamarajanagar, T. Narasipura, Mysore, Hunsur and Gangavathi and from the towns of Doddaballapur, Mandya, Bhadravathi, Shimoga, Hospet and from the cities of Bangalore and Mysore, during the week *as against* 52 attacks with 20 deaths reported during the corresponding week of the last year.

A total of 17 attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* 5 attacks with nil deaths reported during the corresponding week of of the previous year.

The State remained free from Yellow fever, Relapsing fever, Infectious Hepatites and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 208 (73 in Hospitals) for the week, *as against* 261 (100 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.3 (7.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 14.3 (8.8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 2 were due to small pox 5 were due to other fevers, 26 due to Dysentery and Diarrhœa, 5 due to Consumption and 170 due to all other causes, *as against* 23 due to other fevers, 14 due to Dysentery and Diarrhœa

6 due to Consumption and 219 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 97 (34 in hospitals) for the week *as against* 58 (27 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 19.6 (12.7 excluding hospital deaths per mille of population (mid-year estimated) *as against* 11.7 (6.3 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 11 were due to Cholera, 14 due to other fevers, 24 due to Dysentery and Diarrhœa, 46 due to all other causes *as against* one due to Malaria, 11 due to other fevers, 2 due to Dysentery and Diarrhœa, 1 due to consumption and 43 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K. G. F. City amounted to 38 (nil hospitals) for the week *as against* 4 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.3 nil (exoiuding hospital deaths) per mille of population (mid-year estimated) *as against* 1.4 (nil excluding hospital deaths) for the corresponding week of last year. Classified according to the causes of deaths, 38 due to all other causes *as against* 4 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum City amounted to 12 (1 in hospitals) for the week *as against* 9 (nil in hospital) during the corresponding week of the previous year, giving a calculated death rate of 4.5 (4.1 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to other fevers, 1 due to dysentry and diarrhoea, and 10 due to all other causes, *as against* 2 due to dysentry and diarrhoea, and 7 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 51 (43 in hospitals) for the week *as against* 16 (5 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 17.2 (3.7 excluding hospital deaths) per mille of populations(mid-year estimated) *as against* 5.5 (3.8 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to consumption and 49 due to all other causes *as against* 1 due to other fevers, and 15 due to all other causes reported during the corresponding week of the previous year.

....,
Dy. Director of Public Health
Bureau of Epidemiology.

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore

Registered No. BG 202

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 100 | BANGALORE, THURSDAY, MAY 27, 1965 (JYEISHTA 6, SAKA ERA 1887) | No. 21

PART V

SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

Weekly Weather and Crop Report for the Week ending Wednesday, the 28th April 1965.

No. of rainy days in the week	Rainfall in Milli meters				Condition of				Remarks
	During the week		Since the beginning of the season						
	Actual	Normal	Actual	Normal					
1	2	3	4	5	6	7	8	9	10

(From 1—4—1965)

1. Bangalore District.

Good

2. Kolar District.

Good

3. Tumkur District.

Good

4. Mysore District.

Good

5. Mandya District.

Good

6 Hassan District

Good

7. Chickmagalur District

Good

Nil Nil

No. of rainy days in the week.	Rainfall in Millimetres: During the Week — Actual	During the Week — Normal	Since the beginning of the agricultural year — Actual	Since the beginning of the agricultural year — Normal	Condition of				Remarks
1	2	3	4	5	6	7	8	9	10

(From 1—4—1965).

8. Shimoga District.

Good

9 Chitradurga District.

Good except for the prevalence of "blackwater" at the village of Challakere Taluk.

10. Bellary District.

Good except at one village of Siruguppa Taluk where Cattle disease was prevailing.

11. Bijapur District.

Good

12. Belgaum District.

Good

13 Dharwar District.

Good

14. North Kanara District.

Good except for the prevalence of cattle disease at two villages of Mundagod Taluk.

15. Gulbarga District

Good

16. Raichur District.

Good

17. Bidar District.

Good

18. South Kanara District.

Good

19. Coorg District.

" " " 15.7 " do Good do do ... (19)

REMARKS.— (1) Refers to 6 Talukas, (2) Refers to 5 Talukas, (3) Refers to 7 Talukas, (4) Refers to 10 Talukas, (5) Refers to 6 Talukas, (6) Refers to 6 Talukas, (7) Refers to 6 Talukas, (8) Refers to 2 Talukas, (9) Refers to 7 Talukas, (10) Refers to 7 Talukas, (11) Refers to 7 Talukas, (12) Refers to 6 Talukas, (13) Refers to 10 Talukas, (14) Refers to 3 Talukas, (15) Refers to 5 Talukas, (16) Refers to 8 Talukas, (17) Refers to 1 Taluk, (18) Refers to 6 Talukas, (19) Refers to 2 Talukas.

M. GANGARUDRAIAH, For *Director*.

General Weekly Summary Report of Mysore State for the Week ending Wednesday, the 28th April 1965

(a) Denotes:—Rainfall.
(b) " Sowing Transplantation.
(c) " Condition of standing crops
(d) " Harvest.
(e) " General progress of Agricultural Operations
(f) " Water supply
(g) " Fodder/Pasture.
(h) " Condition of Cattle.

1 Bangalore District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

2 Kolar District.—

(a) Light showers in Gudibanda and Gowribidanur Taluks.
(b) Nil.
(c) Standing crops were fair
(d) Harvesting of Potatoes in Bangarpet Taluk was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

3 Tumkur District.—

(a) No rainfall during the week.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of Paddy in Madhugiri Taluk was in progress.
(e) Progress was fair in 6 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

4 Mysore District.—

(a) Light showers in Gundlupet, Nanjangud, Hunsur and T. Narasipur Taluks.
(b) Sowing of Jawar G. Nut in Gundlupet Taluk. Jowar in Mysore, Kollegal and T. Narasipur Taluks. G. Nut in Krishnarajanagar Taluks was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Yelandur Taluk, was in progress.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available
(h) Generally healthy.

5 Mandya District.—

(a) Light showers in Maddur and Krishnarajpet Taluks.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Maddur Taluk Sugarcane and Karagi in Pandavapura Taluk was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

6 Hassan District.—

(a) Light showers in Belur and Arasikere Taluks.
(b) Sowing of Paddy in Belur Taluk was in progress.
(c) Standing crops were fair.
(d) Harvesting of Sugarcane in Alur Taluk was in progress.
(e) Progress was fair in 4 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

7 Chickmagalur District.—

(a) No rainfallduring the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil
(f) Sufficient.
(g) Available.
(h) Generally healthy.

8 Shimoga District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Shimoga and Thirthahalli Taluks, was in progress.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

9 Chitradurga District —

(a) Light showers in Davangere Taluk.
(b) Nil
(c) Standing Crops were fair except in Haribar taluk where ragi Crop was affected by pest
(d) Harvesting of Summer Paddy in Molakalmur, and Challakere Taluks, Cotton in Devanakere taluk, was in progress.
(e) Progress was fair in 4 Taluks.
(f) Sufficient
(g) Available
(h) Good, except for the prevalance of Black Quarter at one Village of Challakere taluk.

10 Bellary District.—

(a) Light showers in Mallapur and Siruguppa Taluks.
(b) Transplantation of Paddy, was completed in Sandur Taluk.
(c) Standing Crops were fair
(d) Harvesting of Sugarcane in Hospet Taluk. Paddy in Kudligi taluk was in progress.
(e) Progress was fair in 3 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy except for the prevalence of cattle disease at Siruguppa Taluk.

11 Bijapur District.—

(a) Light showers in Jamkhandi and Indi taluks.
(b) Nil.
(c) Standing crops were fair
(d) Harvesting of Rabi Jowar was completed in Bagewadi taluk.
(e) Progress was fair in 3 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy

12 Belgaum District.—

(a) Light showers in Hukkeri taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cotton was nearing completion in Parasgad taluk.
(e) Progress was fair in 4 taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

13 Dharwar District —

(a) Light showers in Shirhalli taluks
(b) Nil.
(c) Standing crops were fair.
(d) Harvesting of Cotton in Hubli taluk and safflower was nearing completion in Ron taluk.
(e) Progress was fair in 6 Taluks
(f) Sufficient.
(g) Available.
(h) Generally healthy.

14 North Kanara District —

(a) No rainfall during the week.
(b) Transplantation of Sugarcane in Honnavar taluk was in progress.
(c) Standing crops were fair
(d) Harvesting of Summer Paddy in Kumta and Honnawar Taluks was in progress.
(e) Progress was fair in 3 taluks
(f) Sufficient except in Mundgod Taluk where insufficiency was felt
(g) Available
(h) Generally healthy.

15 Gulbarga District —

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in Chincholi Taluk.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

16 Raichur District.

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 8 taluks.
(f) Sufficient.
(g) Available.
(a) Generally healthy.

17 Bidar District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing crops were fair
(d) Nil.
(e) Progress was fair in 3 Taluks.
(f) Sufficient
(g) Available.
(h) Generally healthy.

18 South Kanara District.—

(a) Slight showers in Puttur, taluk.
(b) Nil
(c) Standing crops were fair.
(d) Harvesting of III crops paddy in Buntwal Taluk was in progress
(e) Progress was fair in 2 taluks.
(f) Sufficient except in Udipi and Belthangadi Taluks where insufficiency was felt.
(g) Available except in Udipi and Belthangadi Taluks where insufficiency of Fodder was felt.
(h) Generally healthy.

19 Coorg District.—

(a) No rainfall during the week.
(b) Nil.
(c) Standing Crops were fair
(d) Nil.
(e) Nil
(f) Sufficient
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, For *Director*.

OFFICE OF THE DEPUTY DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

Notification dated 10th May 1965.

Note on the State of Public Health in Mysore State Week ending Saturday, the 1st May 1965.

No. VS 18/SPH/65-66. The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths; and nil attacks with nil deaths respectively.

A total of 84 attacks with 16 deaths from Smallpox was reported from the entire State *viz.*, from the towns of Belgaum, Jagalur and Kolar and from the taluks of Gangavathi, Devanahalli, Hiriyur, Afzalpur, Manvi, Koppal, Bailhongal, Jamkhandi, Bidar, Raichur, Bilgi, Khanapur and Udipi *as against* 37 attacks with 8 deaths reported during the corresponding week of the previous year.

A total of 293 attacks with 57 deaths from Cholera was reported for the entire State *viz*, from the taluks of Doddaballapur, K. R. Pet, Srirangapatna, Mandya, Nanjangud, Mysore, Hospet, Gangawathi, Manvi, Siddapur, Bangalore South, K. R. Nagar, Shimoga, Sagar, Malavalli, T. N. Pur, Sandur, Gadag and Mundargi and from the towns of Srirangapatna, Mandya, Nanjangud, Hospet, Shimoga, Sagar and from the city of Mysore during the week, *as against* 36 attacks with 7 deaths reported during the corresponding week of the last year.

A total of 2 attacks with nil deaths from K. F. disease was reported from Shimoga District *as against* 4 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever Infectious Hepatitis and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 236 (100 in hospitals) for the week *as against* 274 (94 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.8 (7.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 15.0 (9.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Smallpox, 30 due to Dysentery and Diarrhoea, 12 due to Consumption and 193 due to all other causes *as against* 22 due to other fevers 23 due to Dysentery and Diarrhoea, 9 due to Consumption and 220 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 88 (50 in hospitals) for the week *as against* 77 (47 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 17.7 (7.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 15.6 (6.1 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 7 were due to Cholera, 1 due to Typhoid, 10 due to other fevers, 16 due to Dysentry and Diarrhoea, 3 due to consumption and 51 due to all other causes, *as against*, 1 due to Typhoid, 10 due to other fevers, 2 due to Dysentery and Diarrhoea, 5 due to Consumption and 59 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for K.G.F. City amounted to 13 (13 in hospitals) for the week *as against* 34 (10 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.2 (4.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 11.7 (6.9 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 13 were due to all other causes *as against* 2 due to other fevers, 2 due to Dysentery and Diarrhoea, and 30 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum city amounted to 44 (31 in hospitals) for the week *as against* 26 (5 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 16.6(4.9 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 9.9 (8.0 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers, 4 due to Consumption and 38 due to all other causes *as against* 4 due to other fevers, 2 due to Dysentery and Diarrhoea, 1 due to Consumption and 19 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 14 (nil in hospitals) for the week *as against* 20 (12 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.7 (nil excluding hospital deaths) per mille of population (mid-year estimated) *as against* 6.9 (2.8 exeoluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 12 were due to Smallpox, 2 due to all other causes *as against* 1 due to Consumption and 19 due to all other causes reported during the corresponding week of the previous year.

S. D. NARAYANAGOWDA,
Deputy Director.